

# DragonWake Films | Equipment Inventory

Please email for a quote or if you have any questions.  
Rentals currently only available in the Pittsburgh, PA area.

info@dragonwakefilms.com

# Avail.	Equipment	Brands / Descriptions
<b>:::: CAMERA GEAR :::</b>		
<b>Blackmagic Ursa Mini 4.6K PRO EF Camera / Accessories</b>		
1	<ul style="list-style-type: none"> <li>○ <b>Blackmagic Ursa Mini PRO 4.6K EF Camera Body</b></li> <li>➢ Built-In ND Filters (2,4,6 Stops)</li> <li>➢ Side Handle</li> <li>➢ LANC Cable</li> <li>➢ V-Mount Battery Plate</li> <li>➢ AC Adapter</li> </ul>	For details, visit: www.blackmagicdesign.com
1	<b>Blackmagic Ursa Mini Shoulder-Mount Kit</b>	For details, visit: www.blackmagicdesign.com
1	<b>Blackmagic Ursa Viewfinder</b>	For details, visit: www.blackmagicdesign.com
<b>Blackmagic Pocket Cinema Camera 4K / Accessories</b>		
1	<ul style="list-style-type: none"> <li>○ <b>Blackmagic Pocket 4K Camera Body (MFT Lens Mount)</b></li> <li>➢ AC Adapter</li> </ul>	For details, visit: www.blackmagicdesign.com
1	<b>Metabones Speed Booster x0.64 Canon EF to MicroFourThirds T XL II</b>	Adapts Canon Full Frame lenses to the Blackmagic Pocket 4K's MFT Mount
1	<b>SmallRig Full Cage for BMD Pocket 4K w/ Top Handle</b>	w/ Cold Shoe Mount included
1	<b>SmallRig Wooden Right Handle</b>	with Rosette Mount
1	<b>Samsung SSD Clamp</b>	Fits Samsung T5 Portable SSDs
2	<b>MiniXLR to Full XLR Converter Cable</b>	19.4" Length
1	<b>SATA to USB-C Cable</b>	Allows BM Pocket 4K to write directly to external SATA SSDs
1	<b>D-Tap to 2-Pin Power Cable</b>	Power Blackmagic Pocket Cinema Camera 4k from D-Tap Sources, Batteries
<b>Media / Batteries / Chargers / Rig Accessories</b>		
3	<b>CFast 2.0 Cards (256gb)</b>	Lexar 3400x 510 mb/s Write Speeds
2	<b>CFast 2.0 Card Reader</b>	Lexar USB 3.0 and Thunderbolt compatible
2	<b>Lexar Professional 1000x UHS-II SDXC Cards (128gb)</b>	Class 10 / UHS-II UHS Speed Class 3 (U3) Max. Read Speed: 150 MB/s Max Write Speed: 80 MB/s
1	<b>SD Card Reader (USB 3.0)</b>	Transcend For SDHC, SDXC, microSDHC/SDXC Cards
3	<b>Solid State Drive 480GB (Extreme II)</b>	- 550 MB/s Sequential Read Speeds - 515 MB/s Sequential Write Speeds

1	<b>Solid State Drive 480GB (Ultra II)</b>	- Max Data Read Speed: 550 MB/s - Max Data Write Speed: 500 MB/s
1	<b>Atoch C2S CFast to SSD Solution</b>	Media Converter that allows Ursa Mini to record to SSDs (find under Blackmagic Production 4K Camera / Accessories) rather than CFast 2.0 cards  Requires power (includes d-tap power cable)
1	<b>SSD Card Reader</b>	Pluggable USB 3.0 Dock for 2.5" and 3.5" SATA Drives 6TB+ Support
6	<b>LP-E6 Battery</b>	
3	<b>V-Mount Lithium Ion Battery (HyperCore)</b>	Switronix SWX HyperCore 98Wh 14.8V 98Wh Lithium-Ion V-Mount Battery Supports Up to 10A Draw 4 Hour Run-Time at 25W Built-In Safety Sensors Backlit LCD and 4-LED Power Gauge Time, Grid, % Run-Time/Capacity Displays P-Tap and USB Port
4	<b>V-Mount Lithium Ion Battery</b>	Switronix XP-L90S Output Voltage: 14.8 V USB Output: Up to 3A at 5V Connection: 2-Pin D-Tap Capacity: 98Wh
2	<b>2 Position Simultaneous Battery Charger</b>	Switronix GP-2L2J Connectors: 4-Pin XLR (x1) -- V-Mount (x2) Output: 50 Watt Power Requirements: 90-240VAC, 50/60Hz
1	<b>Compact Single Battery Charger</b>	Switronix PB70C D-Tap to AC compact charger Output: 1.0 A Power Requirements: 90-240VAC, 50/60Hz
1	<b>D-Tap Power Cable (2')</b>	
1	<b>D-Tap Power Cable (5')</b>	
1	<b>Matte Box</b>	Camtree MB-20 (CF)
1	<b>Voltage Splitter (Dual Battery Mount)</b>	Camtree - 1st PORT : 3-Pin Lemo OUT 15 V DC - 2nd PORT : 3-Pin Lemo OUT 12 V DC - 3rd PORT : 3-Pin Lemo OUT 12 V DC - 4th PORT : 4-Pin Lemo OUT 7V DC - 5th PORT : 4-Pin Lemo OUT 5V DC - Runs on standard V-Mount battery
1	<b>Follow Focus / Whip</b>	Lanparte Follow Focus w/ Hard Stops for 15mm Rods, 0.8 pitch Film/Cine w/ Focus Ring Adapters
1	<b>camRade wetSuit Rain Cover for Ursa Mini</b>	
1	<b>Canon 7D DSLR / Accessories</b>	
1	<b>Canon EOS 7D DSLR Body</b>	Canon
1	<b>Spider Brace / Follow Focus (for DSLRs)</b>	StudioFX (no matte box or counterweight)
2	<b>32gb 600x Compact Flash Card</b>	Transcend
1	<b>Card Reader (w/ USB cable)</b>	Reads: CF, SDHC / SD / MMC / xD, Micro SD, MS PRO Duo/MS Pro
8	<b>LP-E6 Battery (Canon)</b>	Canon
1	<b>Dual-ion Battery Charger w/ AC and Car Adapter</b>	Revive

1	<b>Battery Power Grip</b>	Zeikos
<b>TRIPODS / HEADS / SLIDERS</b>		
1	<b>Manfrotto 536 Carbon Fiber Tripod w/ 509HD Video Head</b>	Load Capacity: 29 lb 100 mm Half Ball 4-Step Counterbalance Mechanism Max Height: 80" Min Height: 10.2" Weight Capacity: 29 lbs Screw-in 75/100 mm adaptor
1	<b>Manfrotto 546B Pro Video Tripod w/ 504HD Fluid Head</b>	Load Capacity: 16.5 lb Max Height: 66" Min Height: 18" 4-Step Counterbalance Mid-level Spreader
1	<b>Quick-Release Tripod Adapter (VCT-14 Type)</b>	E-Image
1	<b>Manfrotto 529B Hi Hat</b>	Min Height: 5.7" Max Height: 8.1" Weight Capacity: 44 lbs Head Bowl: 100mm
1	<b>Manfrotto 114 Cine/Video Deluxe Dolly Wheels (to attach to tripod feet)</b>	Construction: Aluminum Doorway Width: 44.1" (112cm) Load Capacity: 132.28 lb (60 kg) Folded Length: 25.5" (64.7cm) Wheel Diameter: 5.0" (127mm) Wheel Lock: Yes Cable Guards: Yes Weight: 17.7 lbs (8kg)
1	<b>Manfrotto Flat-Base Tripod Head</b>	Manfrotto 55 Mag Photo-Movie Head Q5 with Quick Release Supports up to 15lbs Tripod Attachment: 3/8" screw
1	<b>Slider 47" (Flat Base Tripod Head not included)</b>	Glide Gear Dev 470 -- 19lbs capacity when mounted on single tripod -- comes with two detachable feet
1	<b>Ravelli APGL4 Tripod System w/ Removable Flat-Base Pistol Grip Articulating Head</b>	Collapsed Height: 32.75" Maximum Operating Height: 69.75" Tripod Weight: 8 lbs Load Capacity: 16 lbs Pistol Grip Head Mount: 1/4" 20 Tripod Base Supports: 3/8" Flat-Base Tripod Head Accepts: 3/8"
1	<b>Slik 504QF-II Tripod System</b>	Maximum Height: 60.6" (153.9 cm) Minimum Height: 18.5" (47.0 cm) Folded Length: 27.4" (69.6 cm) Load Capacity: 11.00 lb (5 kg) Leg Sections: 3 Leg Lock Type: Twist knobs Independent Leg Spread: Yes Head Type: 3-Way fluid-effect panhead (with Omni-Directional quick release) Head Mount Thread Size: 1/4"-20
1	<b>Targus Monopod TG-MP6710</b>	Height Range: 21" - 67" Three Sections (Clip Release) 1/4"-20 Thread Size
<b>MONITORS AND ACCESSORIES</b>		
1	<b>SmallHD AC7 OLED SDI Field Monitor (7.7")</b>  <ul style="list-style-type: none"> <li>&gt; Sunhood</li> <li>&gt; SmallHD StrongArm Mount</li> <li>&gt; D-Tap to Male Barrel Power Cable (45")</li> <li>&gt; SmallHD LP-E6 Battery Bracket</li> <li>&gt; AC Adapter</li> <li>&gt; 3ft BNC Cable</li> <li>&gt; 1ft BNC Cable</li> <li>&gt; Dual Battery Charger for LP-E6 Batteries</li> <li>&gt; 2x LP-E6N Batteries</li> <li>&gt; 2x LP-E6 Batteries</li> </ul>	Aluminum Skeleton + Rubberized ABS Housing + Gorilla Glass Screen Diagonal: 7.7" (196mm) Resolution: 1280 x 800 / 8 bit OLED panel Pixels: 196ppi per inch Brightness: 250 nits
	<b>IKAN VX17E Field Monitor Kit (17")</b>	Screen Size / Resolution: 17" diagonally (1440 x 900) Brightness / Contrast Ratio: 250 nit / 600:1

1	<ul style="list-style-type: none"> <li>&gt; SH17 Sun Hood</li> <li>&gt; SP17 Screen Protector</li> <li>&gt; YK17 Monitor Yoke</li> <li>&gt; VX17PBK Pro Battery Plate Kit</li> <li>&gt; Rack Ears</li> <li>&gt; Table Stand</li> <li>&gt; 100 to 240 VAC Power Adapter</li> <li>&gt; 25' BNC HD-SDI Video Cable</li> <li>&gt; HDMI Cable</li> <li>&gt; D-Tap Power Cable</li> </ul>	<p>Inputs:  SD/HD-SDI: 1 x BNC  HDMI: 1 x HDMI 1.3  DVI: 1 Component: 3 x BNC  Composite: 1 x BNC  S-Video: 1 x 4-pin mini-DIN  Tally: RJ-45</p> <p>Outputs:  SD/HD/3G-SDI: 1 x BNC  HDMI: 1 x HDMI 1.3  Component: 3 x BNC  Composite: 1 x BNC  S-Video: 1 x 4-pin mini-DIN</p>
1	<b>Heavy Duty Light Stand (for Ikan Monitor)</b>	Minimum Height: 3.75 ft Maximum Height: 9.6 ft Closed Length: 3.75 ft Footprint Diameter: 3.75 ft Leg Tip: 25mm Weight: 4.2 lbs Maximum Load: 22 lbs w/ 5/8 in stud with 1/4-20 in threaded tip
1	<b>Collapsible Dolly Wheels (for Heavy Duty Light Stand)</b>	Ravelli ATD Professional Tripod Dolly - Metal Ball Bearing Casters with Rubber Wheels - One-Step Easy Lock Locking Wheels - Universal Fully Adjustable Leg Locks - Easy Folding Design with Carrying Handle
<b>LENSES / FILTERS</b>		
1	<b>Canon EF 50mm f/1.2L USM Prime Lens</b>	72mm Thread Diameter
1	<b>Canon EF 16-35mm f2.8L USM Zoom Lens</b>	82mm Thread Diameter
1	<b>Canon EF 24-105mm f/4L IS USM Zoom Lens</b>	77mm Thread Diameter
1	<b>Canon EF 24-70mm f/2.8 L USM Lens</b>	82mm Thread Diameter
1	<b>Canon EF 70-200mm f/2.8L IS II USM AF Telephoto Lens</b>	77mm Thread Diameter
1	<b>Macro Lens - Venus Optics Laowa 15mm f/4</b>	EF Mount
1	<b>Lens Support - Tilta 15mm LWS Rod</b>	
1	<b>ND Filter 0.3 (1 F-Stop)</b>	Tiffen 4" x 4" (Not IR Adjusted)
1	<b>ND Filter 0.6 (2 F-Stop)</b>	Tiffen 4" x 4" (Not IR Adjusted)
1	<b>ND Filter 0.9 (3 F-Stop)</b>	Tiffen 4" x 4" (Not IR Adjusted)
1	<b>ND Filter 1.2 (4 F-Stop)</b>	Tiffen 4" x 4" (Not IR Adjusted)
1	<b>Polarizer - 82mm Thead Diameter</b>	Tiffen (Circular)
2	<b>UV Filter - 72mm Thead Diameter</b>	Hoya
1	<b>UV Filter - 82mm Thead Diameter</b>	Hoya
1	<b>Step Up / Down Rings Set</b>	K&F Concept Step Up: (37-49, 49-52, 52-55, 55-58, 58-62, 62-67,67-72, 72-77, 77-82mm) Step Down (49-37, 52-49, 58-55, 55-52, 62-58, 67-62,72-67, 77-72, 82-77mm )

:::: GRIP GEAR :::		
4	<b>C-Stand (11") w/ 2.5" Grip Head and 40" Arm</b>	Impact Load Capacity: 22lbs Min Height: 4.5' --- Max Height: 11'
4	<b>C-Stand (9.5') w/ 2.5" Grip Head and 40" Arm</b>	Roma Stand (Impact Grip Head)
2	<b>C-Stand (10.5) w/ 2.5" Grip Head and 40" Arm</b>	Matthews Load Capacity: 22lbs Min Height: 53" --- Max Height: 10.5'
2	<b>C-Stand Mini (20") w/ 2.5" Grip Head and 20" Arm</b>	Matthews (w/ Grip Head / Arm) Load Capacity: 22lbs Min Height: 20" --- Max Height: 63"
1	<b>Avenger Baby Stand (3.3') with Leveling Leg</b>	Min Height: 1.7' Max Height: 3.3' Load Capacity: 33lbs
2	<b>Avenger Combo Steel Stand (3.3') with Leveling Leg</b>	Min Height: 2.1' Max Height: 3.3' Load Capacity: 66lbs
2	<b>Double Riser Combo Stand w/ 4.5" Junior Grip Head</b>	Matthews Hollywood Combo - Double Riser w/ Impact Grip Head 4.5" Junior Load Capacity: 90lbs Min Height: 49.5" --- Max Height: 11.3' Baby Pin 5/8" stud and Junior 1 1/4" receiver
3	<b>Sandbag (5 lbs)</b>	Impact
12	<b>Sandbag (15-20 lbs)</b>	Impact
2	<b>Sandbag (27-30 lbs)</b>	Impact
4	<b>Sandbag - Water Repellant (15 lbs)</b>	Matthews
4	<b>Sandbag - Water Repellant (25 lbs)</b>	Matthews
2	<b>Full Apple Box</b>	Mogul or Matthews
2	<b>Half Apple Box</b>	Mogul or Matthews
2	<b>Quarter Apple Box</b>	Mogul or Matthews
2	<b>Eigth Apple Box</b>	Mogul or Matthews
CLAMPS / ADAPTERS		
2	<b>Quacker / Duck Bill Clamp</b>	5/8" stud
4	<b>Super (Mafer) Clamp w/ T-Handle</b>	Impact -- 2.16" jaw width -- 1/4"-20 female threads -- locking 5/8" hexagonal female receiver -- hex-base 5/8" baby stud with 1/4"-20 male threads
4	<b>End Jaw Vise Grip 6" (Cardellini)</b>	Impact -- 5/8" baby stud pin
3	<b>End Jaw Vise Grip 2" (Cardellini)</b>	Impact -- 5/8" baby stud pin
4	<b>Drop Ceiling Scissor Clamp</b>	Avenger C1000 -- 5/8" baby stud -- 3.75" clamp length
1	<b>Umbrella Holder / Hot Shoe Adapter</b>	FINEX Full Aluminum OM-18 Swivel/Tilt Bracket Three-Section U-Shape for Nikon and Canon Speedlight Two removable 5/8" studs with 3/8" and 1/4" threads (one male set, one female set)
2	<b>Clip Clamp (Large)</b>	Impact -- 5/8" Receptor and 3/8" Female Threads

4	Wall Plate - Baby Pin (6")	Impact Stud (5/8")
4	Wall Plate - Baby Pin (Right Angle)	Matthews or Avenger Stud (5/8")
25	Spring / Pony Clamp (1/2") XS	1/2" Jaw
15	Spring / Pony Clamp (1") S	1" Jaw
10	Spring / Pony Clamp (2") M	2" Jaw
8	Spring / Pony Clamp (3") L	3" Jaw
4	Safety Cable	Chauvet Length: 31" Load Capacity: 700lb
<b>(18" x 24") FLAGS / SCRIMS / SILKS / DIFFUSION</b>		
1	Flag w/ Frame (18" x 24")	Matthews
1	Single Scrim w/ Open-End Frame (18" x 24")	Matthews
1	Double Scrim w/ Open-End Frame (18" x 24")	Matthews
1	Artificial Silk w/ Open-End Frame (18" x 24")	Matthews
1	WHOLE KIT	
<b>(2' x 3') FLAGS / SCRIMS / SILKS / DIFFUSION</b>		
3	Flag w/ Solid Frame (24" x 36")	Matthews
1	Single Scrim w/ Collapsible Frame (24" x 36")	Matthews RoadRag
2	Double Scrim w/ Solid Frame (24" x 36")	Matthews
1	Artificial Silk w/ Collapsible Frame (24" x 36")	Matthews RoadRag
1	WHOLE KIT	
<b>(4' x 4') FLAGS / SCRIMS / SILKS / DIFFUSION</b>		
3	Flag w/ Frame (4' x 4')	Matthews
2	Floppy Cutter - Top Hinge (48" x 48"/90" open)	Matthews
1	Single Scrim w/ Frame (4' x 4')	Matthews
1	Artificial Silk w/ Frame (4' x 4')	Matthews
1	Silver Reflector Flag w/ Frame (4' x 4')	Matthews
1	Opal Frost Diffusion w/ Frame (4' x 4')	Matthews Knife Blade Diffusion Frame - Lee Diffusion
2	#250 1/2 White Diffusion w/ Frame (4' x 4')	Matthews Knife Blade Diffusion Frame - Rosco Diffusion

1	#216 Diffusion w/ Frame (4' x 4')	Matthews Knife Blade Diffusion Frame - Rosco Diffusion
<b>(8' x 8') BUTTERFLY FRAME / RAGS</b>		
1	Butterfly Foldaway Frame (8' x 8')	Avenger H2008 Foldaway Frame by Cardellini
1	Silent Sail Full Grid Cloth (8' x 8')	Modern Studio Equipment
1	Silent Lite Grid Cloth (8' x 8')	Matthews
1	Unbleached Muslin (8' x 8')	Modern Studio Equipment
1	Mattbounce (Black/White) (8' x 8')	Matthews
<b>BOUNCES AND REFLECTORS</b>		
1	Reflector Disk (43")	Neewer 5-in-1 (Translucent, Gold, Silver, White, Black)
1	Reflector Foam Board (4'x5')	White / Silver
1	Reflector Foam Board (3'x4')	White / Silver
4	Reflector Foam Board (2'x3')	White / Silver
2	Reflector Foam Board (2'x4')	White / Silver
2	Reflector Foam Board (2'x2')	White / Silver
1	Reflector Foam Board (5"x27")	White / Silver
1	Bounce Card (White) (2'x3')	White / White
1	Bounce Card (Black) (2'x3')	Black / Black
variable	Duvatine (Variable Size)	Black
1	<b>K-Pod Tripod Dolly Package (w/o Track)</b> - Package includes arrowed items below - Tracks rented separately	Kessler K-Pod Complete - Dolly Deluxe Package
1	➤ <b>K-Pod Tripod</b>	Min Height: 37" -- Max Height: 64" -- Max Load: 500lbs
1	➤ <b>Hercules 2.0 Head</b>	Verticle Pin Lock -- Bullseye level -- Mounts w/ tripod with 100mm ball or 75mm rig -- Max Load: 150lbs
1	➤ <b>Quick Release Plate</b>	Giotto's M621 -- Removable 1/4"-20 and 3/8"-16 Camera Screws -- Two bubble levels
1	➤ <b>K-Pod Premium Dolly Trucks (set of 3)</b>	For 1"-7" diameter tracks
1	➤ <b>K-Pod Adjustable Seat / Low-Boy Mount</b>	Max Load: 250lbs
1	➤ <b>K-Pod Low-Boy Mount and Ball Relocator</b>	Max Load: 250lbs
1	➤ <b>K-Pod Push / Pull Handle</b>	

1	➤ K-Pod 3" Idler Arm	
1	➤ K-Pod 7" Idler Arm	
1	<b>Dana Dolly Portable Dolly/Slider Kit</b>	
	- Package includes arrowed items below - Tracks rented separately	
1	➤ Dolly Truck	
2	➤ Track Ends (Original)	
1	➤ Center Support	
1	➤ 75mm Bowl Adapter	
1	➤ 100mm Bowl Adapter	
1	➤ 150mm Bowl Adapter	
1	➤ 3" Washer	
1	➤ T-Tool	
1	➤ Monitor Mount	
1	➤ Flight Case	
1	➤ Avenger Baby Stand (3.3') w/ Leveling Leg	Min Height: 1.7' Max Height: 3.3' Load Capacity: 33lbs
2	➤ Avenger Combo Steel Stand (3.3') w/ Leveling Leg	Min Height: 2.1' Max Height: 3.3' Load Capacity: 66lbs
<b>DOLLY TRACKS</b>		
1	<b>4' Speed Rail for Dana Dolly</b>	Can be connected to 6' speed rails to create 10' track
1	<b>6' Speed Rail for Dana Dolly</b>	Can be connected to 4' speed rails to create 10' track
3	<b>Straight Aluminum Dolly Track (4' Segment)</b>	Black Bear Studio Systems -- Foldable -- Aluminum Alloy Sq. Tubing Cross Struts -- Over-center latches -- Machined Track Connectors
1	<b>K-Flex Rubber Track (50') w/ Hard Case</b>	Flexible Rubber Track -- Max Load: 300lbs -- 1-1/4" diameter
1	<b>Car Hood Mount Kit</b>	
	- Package includes arrowed items below	Matthews Master Car Mounting System (40lbs Load Capacity)
1	➤ BH-30 w/ Dove Tail Plate and 10" Suction Cup	
1	➤ 8" Micro Grip Rod	
4	➤ 20" Micro Grip Rods	



2	➤ Mini Grip Heads	
2	➤ 6" Cup with 5/8" Pin	
2	➤ Micro Grip Heads	
1	<b>Car Side Mount / Hostess Tray Kit</b> - Package includes arrowed items below	
1	➤ Hostess Tray - Side Door / Window Car Mount	Modern Studio Overall Height: 29" Overall Width: 23" Cheeseplate Platform: 18"x14"x3/8" Distance from Door to Cheeseplate: Approx. 4"
1	➤ Mini-Ball Camera Levelling Mount	Modern Studio
4	➤ Ratchet Straps	
3	➤ Safety Cables	Chauvet Length: 31" Load Capacity: 700lb
1	➤ Duvatine cover	

### :::: LIGHTING / ELECTRIC GEAR ::::

2	<b>Redhead 1000w Open-Face Tungsten Light</b>	
	➤ Spare 1000w Bulb ➤ Barndoors	
1	<b>Arri Tungsten Fresnel Light Kit (4 Lights)</b> - Package includes bulleted / arrowed items below - Bulleted items also available to rent separately	
1	○ <b>Arri 150w Plus Fresnel Fixture</b> ➤ 150w Tungsten Bulb (in Fixture) ➤ 150w Tungsten Bulb (Spare) ➤ Light Stand 8' (Impact) ➤ Barndoors ➤ Filter Frame ➤ Full Single Scrim ➤ Full Double Scrim ➤ Half Single Scrim ➤ Half Double Scrim	Rating: 150 Watts Socket (Lampholder): BA15d Lens (Condenser): 2" (50mm) low expansion borosilicate Fresnel lens Reflector (Mirror): Spherical specular high purity aluminum Mounting: 5/8" Yoke: Fits on standard 5/8" stand or mounting stud Cable: 15' Focusing: Worm gear driven Weight: 2.3 lbs
2	○ <b>Arri 300w Plus Fresnel Fixture</b> ➤ 300w Tungsten Bulb (in Fixture) ➤ 300w Tungsten Bulb (Spare) ➤ Light Stand 8' (Arri) ➤ Barndoors ➤ Filter Frame ➤ Full Single Scrim ➤ Full Double Scrim	Rating: 300 Watts, 120-240VAC Socket (Lampholder): GY9.5 Lens (Condenser): 3.2" (80 mm) low expansion borosilicate Fresnel lens Reflector (Mirror): Spherical, specular, high purity aluminum Mounting: 5/8" (16 mm) stand mount Yoke: Flat blade Attaches to any 5/8" (16 mm) stud Cable: 25' (7.6 m) cable, 120V Grounded Edison Plug, inline switch Focusing: Worm gear driven Weight: 6.5 lbs (2.9 kg)
	○ <b>Arri 650w Plus Fresnel Fixture</b>	Rating: 650 Watts Socket (Lampholder): GY9.5, Prefocus, 2-pin ceramic

1	<ul style="list-style-type: none"> <li>➤ 650w Tungsten Bulb (in Fixture)</li> <li>➤ 650w Tungsten Bulb (Spare)</li> <li>➤ Light Stand (Arri)</li> <li>➤ Barndoors</li> <li>➤ Filter Frame</li> <li>➤ Full Single Scrim</li> <li>➤ Full Double Scrim</li> </ul>	<p>Lens (Condenser): 4.3" (110 mm) low expansion, borosilicate fresnel lens  Reflector (Mirror): Spherical, specular, high purity reflector  Mounting: 5/8" (16 mm) stand mount  Yoke: Attaches to any 5/8" (16 mm) stud  Cable: 25' (7.6 m) cable, 120V Grounded Edison Plug, inline switch  Focusing: Worm gear driven  Weight: 7.2 lbs (3.3 kg)</p>
4	<ul style="list-style-type: none"> <li>○ <b>AC Dimmer Control</b></li> </ul>	<p>Impact  Max Load: 1,000-Watt, 15-Amps</p>
2	<p><b>Kino-Flo Tegra 4-Bank DMX Kit</b></p> <p>- Package includes arrowed items below</p>	
1	<ul style="list-style-type: none"> <li>➤ <b>Tegra 4Bank Universal Fixture</b></li> </ul>	Built-in ballast / dimmer
6	<ul style="list-style-type: none"> <li>➤ <b>Kino Flo 4' (5500°K) Fluorescent T12 Lamps</b></li> </ul>	Lumens: 3290, 75w, G13 Med Bipin
6	<ul style="list-style-type: none"> <li>➤ <b>Kino Flo 4' (3200°K) Fluorescent T12 Lamps</b></li> </ul>	Lumens: 3350, 75w, G13 Med Bipin
1	<ul style="list-style-type: none"> <li>➤ <b>Louver (90°)</b></li> </ul>	
1	<ul style="list-style-type: none"> <li>➤ <b>Flozier (Half)</b></li> </ul>	
2	<ul style="list-style-type: none"> <li>➤ <b>Lamp Case (Holds Six 4' Lamps)</b></li> </ul>	
12	<p><b>Kino Flo 4' (GREEN) Fluorescent T12 Lamps</b></p> <p><b>Available separately, or as a replacement for other T12s</b></p>	
1	<p><b>Kino-Flo Diva-Lite 201 Light Kit</b></p> <p>- Package includes arrowed items below</p>	
1	<ul style="list-style-type: none"> <li>➤ <b>Diva-Lite 201 Fixture (supports two 55w CFLs)</b></li> </ul>	Built-in switch / dimmers
6	<ul style="list-style-type: none"> <li>➤ <b>Kino Flo True Match 21" (5500°K) CF Lamps</b></li> </ul>	Lumens: 3290, 75w, 2G11 4Pin
6	<ul style="list-style-type: none"> <li>➤ <b>Kino Flo True Match 21" (3200°K) CF Lamps</b></li> </ul>	Lumens: 2800, 55w, 2G11 4Pin
1	<ul style="list-style-type: none"> <li>➤ <b>Silver Eggrate Louver</b></li> </ul>	
1	<ul style="list-style-type: none"> <li>➤ <b>Flozier Diffuser</b></li> </ul>	
2	<ul style="list-style-type: none"> <li>➤ <b>Lamp Case (Holds Four 21" CF Lamps)</b></li> </ul>	
1	<p><b>Mini-Flo Kino-Flo Kit</b></p> <p>- Package includes arrowed items below</p>	
1	<ul style="list-style-type: none"> <li>➤ <b>Mini-Flo Fixture 9"</b></li> </ul>	Input Voltage: 12V DC Lamps: F6/T5, optional
1	<ul style="list-style-type: none"> <li>➤ <b>Ballast</b></li> </ul>	Ballast: 12 DC, dimmable 15-100%
1	<ul style="list-style-type: none"> <li>➤ <b>Egg Grate</b></li> </ul>	
3	<ul style="list-style-type: none"> <li>➤ <b>Kino-Flo 3200K bulb</b></li> </ul>	3200K

2	➤ GE F6T5D bulb	3200K
1	<b>Dracast LED1000 Silver Series Bi-Color LED Light w/ V-Mount Plate</b>	
	➤ Barndoors ➤ Diffusion ➤ 100-240 VAC Power Adapter	3200-5600K Variable Color Temperature 16 x 7.8 x 1.8" Panel, Weighs 4.0 lb 45-Degree Beam Angle AC or DC Operation 100-10% Dimming CRI: 95
1	<b>Dracast Yoga Series LED500 Bi-Color Flexible Panel w/ V-Mount Plate</b>	
	➤ 100-240 VAC Power Adapter	Bendable to Your Required Shape Measures 13.78 x 13.78" Color Temperature: 3200-5600K Beam Angle: 120 Degrees 10-100% Dimming, CRI 95 288 Surface-Mounted LEDs
1	<b>Dracast Complex High Color On-Camera LED Light</b>	
	➤ 4x NP-F Lithium Ion Battery ➤ 3x Battery Charger (NP-F) ➤ D-Tap Cable ➤ Hot Shoe Mount ➤ Swivel Head Adapter	160 LED bulbs (CRI) of 96+ out of 100 Bi-Color 3200-5600K Color Temperatures Natural color output of up to 1280 lux/m Powered by either one Sony rechargeable NP-F lithium ion battery or DC power adapter (DC Power Adapter NOT INCLUDED)
1	<b>Rosco 3x6" LitePad LED Kit</b>  - Package includes bulleted items below - Bulleted items also available to rent separately	
2	○ Rosco Lite-Pad HO+ Daylight 3x6" Fixture	Color Temperature: 5,800 K Light Output at 18": 23 fc Dimensions: 3 x 6 x 0.37" Weight: 0.30 lb
2	○ Rosco Lite-Pad HO+ Tungsten 3x6" Fixture	Color Temperature: 3,600 K Light Output at 18": 23 fc Dimensions: 3 x 6 x 0.37" Weight: 0.30 lb
2	○ Rosco LitePad Swivel Arm	Weight Capacity: 5.5 lb Mount: 1/4"-20 female x1 -- 5/8" baby (male) x1 -- 5/8" baby (female) x1 Dimensions: 8.75 inches
2	○ Rosco Mounting Bracket for 3.0" LitePad	Mount: 1/4"-20 male
2	○ Rosco Single Fader Dimmer (for LitePad)	Input: 11-15VDC Load Capacity: 4A (48W) Max
2	○ Rosco "AA" Battery Holder (for LitePad)	Holds 8 AA Batteries
2	○ Rosco Anton/Bauer 12VDC Power Adapter	D-Tap adapter for LitePad
1	○ Rosco Car Adapter (for LitePad)	Load Capacity: 4A (48W) Max
1	○ Rosco "Y" Splitter (for LitePad)	Load Capacity: 4A (48W) Max
1	○ Rosco Extension Cable (for LitePad)	Length: 10'
1	<b>Lowel Tungsten Light Kit</b>  - Package includes bulleted / arrowed items below - Bulleted items also available to rent separately	
	○ Pro Light Fixture	Rating: 235 Watts maximum Socket (Lampholder): G5.3 bi-pin Lens (Condenser): Prismatic Glass

1	<ul style="list-style-type: none"> <li>&gt; 250w Bulb (in Fixture)</li> <li>&gt; 250w Bulb (Spare)</li> <li>&gt; Lowel Stand</li> <li>&gt; Barn Doors</li> </ul>	<p>Lens (Condenser): 1 Parabolic Glass  Reflector (Mirror): High intensity #2 reflector  Mounting: 5/8" stand or stud  Focusing: Continuously variable  Weight: 2 lbs</p>
1	<ul style="list-style-type: none"> <li>o <b>Omni Light Fixture</b></li> <li>&gt; 500w Bulb (in Fixture)</li> <li>&gt; 500w Bulb (Spare)</li> <li>&gt; Lowel Stand</li> <li>&gt; Barn Doors</li> <li>&gt; Filter Frame</li> </ul>	<p>Rating: 500 Watts maximum, 120-240VAC, 12-30VDC  Socket (Lampholder): GY9.5 Pre focus 2-pin ceramic  Lens (Condenser): Not Applicable  Reflector (Mirror): Double parabolic peened reflector, other reflectors available  Mounting: Fits on any standard 5/8" stand or stud  Focusing: 6:1 Lever on side of unit  Weight: 2.6 lbs</p>
1	<ul style="list-style-type: none"> <li>o <b>Tota Fixture</b></li> <li>&gt; 750w Bulb (in Fixture)</li> <li>&gt; 750w Bulb (Spare)</li> <li>&gt; Lowel Stand</li> <li>&gt; Barn Doors</li> <li>&gt; Tota-Brella</li> </ul>	<p>Rating: 750 Watts maximum, 120-240VAC  Socket (Lampholder): R7s, Double ended  Lens (Condenser): Not Applicable  Reflector (Mirror): Dual Gull Wing reflector doors  Mounting: Fits any standard 5/8" stand or stud  Focusing: Not Applicable  Weight: 2.25 lbs (1.02 kg)</p>
1	<p><b>China Ball Kit</b></p> <ul style="list-style-type: none"> <li>- Package includes bulleted / arrowed items below</li> <li>- Bulleted items also available to rent separately</li> </ul>	
1	<ul style="list-style-type: none"> <li>o <b>24" China Ball w/ Fixture</b></li> <li>&gt; (x2) 1000w Lamps (3200K)</li> <li>&gt; (x2) Spare 24" China Balls</li> </ul>	
1	<ul style="list-style-type: none"> <li>o <b>12" China Ball w/ Fixture</b></li> <li>&gt; (x2) 500w Lamps (3200K)</li> <li>&gt; (x2) Spare 12" China Balls</li> </ul>	
2	<ul style="list-style-type: none"> <li>o <b>AC Dimmer Control</b></li> </ul>	<p>Impact  Max Load: 1,000-Watt, 15-Amps</p>
<b>ELECTRIC ACCESSORIES</b>		
1	<b>Generator w/ Wheels (6000w, 120/240v)</b>	<p>Troy-Bilt  6 gallon tank (11 hour runtime at 50% load)  8250 Starting Watts</p>
6	<b>Extension Cord (25' -- 12 Gauge)</b>	15A
5	<b>Extension Cord (50' -- 12 Gauge)</b>	15A
5	<b>Extension Cord (25' -- 16 Gauge)</b>	13A
3	<b>Extension Cord (50' -- 16 Gauge)</b>	13A
2	<b>3-Outlet Extension Cord (2' -- 12 Gauge)</b>	15A Husky
2	<b>5-Outlet Squid + Surge Protection (3')</b>	15A 1080 Joules
2	<b>Light Stand (8')</b>	<p>Impact Air-Cushioned Light Stand  Min Height: 26.75" --- Max Height: 8'  Max Load: 7.5lbs  Mount: 5/8" stud with 1/4"-20 threaded tip</p>
1	<b>Light Stand (10')</b>	<p>Impact Air Cushioned Heavy Duty Light Stand  Minimum Height: 32.75"  Maximum Height: 10'  Maximum Load: 8.5 lbs  Attachment Size: 5/8" stud with 1/4"-20 treaded top</p>

1	<b>Light Stand - Heavy Duty (9.6')</b>	Impact Air Cushioned Heavy Duty Light Stand Minimum Height: 3.75' Maximum Height: 9.6' Maximum Load: 22 lbs Attachment Size: 5/8" stud with 1/4"-20 threaded top
1	<b>Light Stand - Heavy Duty (13')</b>	Impact Air Cushioned Heavy Duty Light Stand Minimum Height: 44" Maximum Height: 13' Maximum Load: 10 lbs Attachment Size: 5/8" stud with 1/4"-20 threaded top
1	<b>Convertible Umbrella (30")</b>	White Satin with Removable Black Backing
1	<b>Convertible Umbrella (45")</b>	White Satin with Removable Black Backing
1	<b>Convertible Umbrella (60")</b>	White Satin with Removable Black Backing
1	<b>Arri Speed Ring for 650W Fresnel</b>	Compatible with Arri Chimera Softbox Video Pro (24" x 32")
1	<b>Arri Chimera Softbox Video Pro (24"x32")</b>	May be used with hot lights up to 1000 Watts. May be used with strobes of any Watt/Second output
<b>:::: SOUND GEAR :::</b>		
1	<b>Zoom H6 Handy 6-Track Recorder</b>	Inputs: 4 x XLR/TRS combo jacks; XLR: Pin 2 hot; TRS: Tip hot 1x 1/8" stereo mini jack (XYH-6 MIC/LINE IN)  Outputs: 1x 1/8" stereo mini jack (LINE OUT) -- 1x 1/8" stereo mini jack (PHONE OUT)  Power: AA size (LR6) battery x 4, AC Adapter, USB Bus  More Specs: <a href="http://www.bhphotovideo.com/c/product/967366-REG/zoom_h6_handy_audio_recorder.html">http://www.bhphotovideo.com/c/product/967366-REG/zoom_h6_handy_audio_recorder.html</a>
1	<b>Zoom H4n Handy Mobile 4-Track Recorder</b> <ul style="list-style-type: none"> <li>&gt; Windscreen</li> <li>&gt; AC Adapter</li> <li>&gt; USB Cable</li> <li>&gt; 1/4"-20 Theaded Handle</li> </ul>	Inputs: 2 x XLR/TRS combo inputs (balanced, unbalanced) 1 x 3.5mm mic input --- 2 x Built-in condenser microphones --- 1 x USB 2.0 port  Output: 1 x 3.5mm mini stereo headphone/line out jack --- 1 x USB 2.0 port (/input)  More Specs: <a href="http://www.amazon.com/Zoom-Handy-Portable-Digital-Recorder/dp/B001QWBM62/ref=sr_1_3?ie=UTF8&amp;qid=1462195567&amp;sr=8-3&amp;keywords=zoom+h4n">http://www.amazon.com/Zoom-Handy-Portable-Digital-Recorder/dp/B001QWBM62/ref=sr_1_3?ie=UTF8&amp;qid=1462195567&amp;sr=8-3&amp;keywords=zoom+h4n</a>
1	<b>Lavalier Wireless Mic System (Receiver/Transmitter)</b>	SENNHEISER EW112P G3 LAV SYS (G) EK100/SK10  More Specs: <a href="http://www.bhphotovideo.com/c/product/649983-REG/Sennheiser_EW112PG3_G_EW112_p_G3_Camera_Mount.html">http://www.bhphotovideo.com/c/product/649983-REG/Sennheiser_EW112PG3_G_EW112_p_G3_Camera_Mount.html</a>
1	<b>Lavalier Wireless Mic System (Receiver/Transmitter +XLR Wireless Converter)</b>	SENNHEISER G3 COMBO (A) EK100/SKP100/SK100  More Specs: <a href="http://www.bhphotovideo.com/c/product/859432-REG/Sennheiser_EW112_p_G3_SKP_300_G3.html">http://www.bhphotovideo.com/c/product/859432-REG/Sennheiser_EW112_p_G3_SKP_300_G3.html</a>
1	<b>Shotgun Mic - Sennheiser MKE-600</b>	Switchable Low-Cut Filter Phantom or AA Battery Powered
1	<b>Shotgun Mic - Super Cardioid Condenser Mic - Azden SGM-1X</b>	Azden SGM-1X Power: AAA's (not included)
1	<b>Handheld Mic - Behringer Dynamic Cardioid Vocal Microphone</b>	Behringer ULTRAVOICE XM8500 Phantom Powered
1	<b>Preamp - Triton Audio FetHead</b>	- In-Line Preamp (attaches via XLR directly to mic, then XLR Cable) - Powered by camera/recorder's phantom power - Add aprox 20db to audio signal
1	<b>Shock Mount for Mic - K-Tek</b>	K-Tek K-MT - 3/8 female thread
	<b>Shock Mount for Mic - Auray DUSM-1</b>	- Built-in shoe mount - 3/8 female thread
1	<b>Boom Pole w/ Built in XLR Cable</b>	K-Tek Avalon KE-110CC Weight: 1.46lbs Max Length: 9'2"

1	<b>BeachTek DXA-SLR V7 (XLR Adapter for DSLRs) w/ Coiled 3.5mm Cable  (9V Battery Not Included)</b>	Inputs: - Two balanced XLR connectors - One unbalanced mini-jack - Two RCA inputs for playback monitoring  Outputs: Unbalanced stereo mini-plug jack for connection to the camera  - Auto Gain Control Disable - Phantom Power (switchable 48v for both channels) - Headphone Monitor
3	<b>SD Memory Card (32 GB)</b>	SanDisk Extreme Plus Memory Card (Class 10)
1	<b>Multi-Card Reader</b>	Trancend USB 3.0 w/ USB Cable
1	<b>Ultra Clamp</b>	Pedco Ultra Clamp Assembly w/ 1/4"-20 Screw
1	<b>Windscreen (18cm)</b>	Auray WSR-2018 Stuffed Rabbit
1	<b>Slate w/ Case and Dry Erase Marker</b>	
1	<b>Pop Filter</b>	Nady -- 16" Gooseneck -- Mounting clamp 6" Diameter
5	<b>Sound Blanket / Moving Blanket</b>	72" x 80"
<b>AUDIO CABLES / CONVERTERS</b>		
2	<b>XLR Cable (25')</b>	XLR Male to XLR Female
2	<b>XLR Cable (1.5')</b>	Kopul XLR Male to Angled XLR Female Microphone Cable
1	<b>XLR 2-Way Splitter (6" Cable)</b>	Female > 2 Male Adapter
1	<b>XLR Male &gt; XLR Female Converter</b>	XLR3F
1	<b>XLR Female Converter &gt; 1/4" Male Balanced</b>	
2	<b>3.5mm Male &gt; 3.5mm Male (4' Cable)</b>	Stereo
2	<b>3.5mm Female &gt; 3.5mm Male (10' Cable)</b>	Stereo
1	<b>3.5mm Male &gt; XLR Male (10' Cable)</b>	Sums Left and Right stereo signals into a mono feed
2	<b>3.5mm Male &gt; 1/4" Male (1' Cable)</b>	
1	<b>3.5mm Male &gt; 3.5mm Female 2-Way Splitter (3" Cable)</b>	
1	<b>3.5mm Male &gt; 1/4" Male 2-Way Splitter (2' Cable)</b>	
2	<b>3.5mm Female &gt; XLR Male</b>	
1	<b>3.5mm Male &gt; 1/4" Female</b>	
<b>:::: MISC ::::</b>		
1	<b>Rock N Roller Multi-Cart R18</b>	w/ Grip N Gaffe Stand Bag

1	<b>EZ Up Tent 10'x10' Sierra II (Blue)</b>	(w/ Top Only)
1	<b>Yeti Cooler</b>	
1	<b>6' Plastic Folding Table</b>	
1	<b>4' Folding Table</b>	
8	<b>Plastic Folding Chairs</b>	
1	<b>Coleman Water Cooler / Dispenser</b>	
1	<b>Coffee Urn</b>	42-cup capacity, Hamilton Beach
1	<b>Tea Water Heater / Kettle (Electric)</b>	Faberware
1	<b>Pop-Up Garbage Bin</b>	
1	<b>Pop-Up Recycling Bin</b>	
1	<b>Bullhorn</b>	
1	<b>6' Step Ladder</b>	Werner
1	<b>Stunt Mat (8'x2')</b>	Black, foldable
4	<b>Traffic Cones</b>	